

LINEA

Fate

Supporto modulare 1800 x 350 mm

Modular support 1800 x 350 mm



Questa soluzione è indicata per creare, a piacere, una linea di sospensioni su supporto modulare in ottone anticato. L'azienda fornisce il supporto modulare con dimensioni standard di 1800 mm. x 350 mm. ma, in presenza di superfici con livelli diversi o in presenza di soffitti pendenti o altro, il supporto modulare può essere realizzato su specifica, in base alle necessità dell'acquirente o della funzione che è destinato ad assolvere. Le sospensioni sono regolabili in altezza al momento dell'installazione. Sono fornite con cavo lungo 3 metri ed accessorio bloccacavo. Sono collocate su doppio binario mediante la sfera bloccacavo che permette il loro posizionamento e/o spostamento. L'insieme può essere composto dallo stesso tipo di FATA come da FATE diverse. Sono da ordinare a parte il rosone multiplo o la multipresa.


This solution is indicated to create, as desired, a line of pendants on modular support in antiqued brass. The Company provides the modular support with standard dimensions of 1800 mm. x 350 mm. but, for surfaces with different levels or for sloping ceilings or other, the modular support can be customized made, according to the needs of the buyer or to its specific function. Pendants are adjustable in height at the time of installation. They are supplied with a 3-meter-long cable and cable lock accessory. They are placed on a double track through the cable lock sphere that allows their positioning and/or movement. The set can be composed of the same type of Fairy as of different Fairies. The multiple canopy or the multi - socket must be ordered separately.




Insieme composto da:
Set made of:

- 1) Art. ROS5/NM
- 1) Art. AM1800/350/CUSTOM
- 1) Art. LF5/AM/NM
- 1) Art. LF1/AM/NM
- 1) Art. LF2/AM/NM
- 1) Art. LF4/AM/NM
- 1) Art. LF3/AM/NM


Art. LF1/AM/...




Art. LF2/AM/...




Art. LF3/AM/...




Art. LF4/AM/...



Art. LF5/AM/...



Art. ROS5/...



Art. AM1800/350



ARTICOLO ITEM	DESCRIZIONE DESCRIPTION	ATTACCO SOCKET	POTENZA POWER	PESO GR. WEIGHT GR.	VOL. IN M ³ VOL. IN M ³	FINITURA FINISHING	FASCIA PREZZO PRICE RANGE
LF1/AM/...	Sospensione in ceramica per supporto modulare e rosone multiplo comprensiva di cavo pvc trasparente 3 mt. e sfera bloccacavo Ceramic pendant for modular support and multiple canopy with a 3-meter-long pvc transparent cable and cable lock sphere included	E27	15W LED	700	0,01	BL, BM, NL, NM, MR	B29
						CU, PT, PTMATT, CUMATT	B46
						AU, AUMATT	B57
LF2/AM/...	Sospensione in ceramica per supporto modulare e rosone multiplo comprensiva di cavo pvc trasparente 3 mt. e sfera bloccacavo Ceramic pendant for modular support and multiple canopy with a 3-meter-long pvc transparent cable and cable lock sphere included	E27	15W LED	700	0,01	BL, BM, NL, NM, MR	B29
						CU, PT, PTMATT, CUMATT	B46
						AU, AUMATT	B57
LF3/AM/...	Sospensione in ceramica per supporto modulare e rosone multiplo comprensiva di cavo pvc trasparente 3 mt. e sfera bloccacavo Ceramic pendant for modular support and multiple canopy with a 3-meter-long pvc transparent cable and cable lock sphere included	E27	15W LED	700	0,01	BL, BM, NL, NM, MR	B29
						CU, PT, PTMATT, CUMATT	B46
						AU, AUMATT	B57
LF4/AM/...	Sospensione in ceramica per supporto modulare e rosone multiplo comprensiva di cavo pvc trasparente 3 mt. e sfera bloccacavo Ceramic pendant for modular support and multiple canopy with a 3-meter-long pvc transparent cable and cable lock sphere included	E27	15W LED	700	0,01	BL, BM, NL, NM, MR	B29
						CU, PT, PTMATT, CUMATT	B46
						AU, AUMATT	B57
LF5/AM/...	Sospensione in ceramica per supporto modulare e rosone multiplo comprensiva di cavo pvc trasparente 3 mt. e sfera bloccacavo Ceramic pendant for modular support and multiple canopy with a 3-meter-long pvc transparent cable and cable lock sphere included	E27	15W LED	700	0,01	BL, BM, NL, NM, MR	B29
						CU, PT, PTMATT, CUMATT	B46
						AU, AUMATT	B57
AM1800/350	Supporto modulare lineare in ottone anticato 1800 mm. x 350 mm. Linear modular support in aged brass 1800 mm. x 350 mm.			4900	0,03		B79
ROS5/...	Rosone multiplo per insieme di 5 lampade Multiple canopy for 5 suspension lamps			1000	0,02	BM, NM	B36




BL = Finitura bianco lucido / Glossy white
BM = Finitura bianco matt / Matte white
NL = Finitura nero lucido / Glossy black
NM = Finitura nero matt / Matte black
MR = Finitura metal rame / Copper metal
PT = Finitura platino / Platinum

AU = Finitura oro / Gold
CU = Finitura rame / Copper
PTMATT = Finitura platino matt / Matte platinum
AUMATT = Finitura oro matt / Matte gold
CUMATT = Finitura rame matt / Matte copper

LINEA
Fate

Esempio di installazione con supporto modulare e rosone
Example of installation with modular support and ceiling rose



1 x Art. ROS5/...



1 x Art. AM1800/350



2 x Art. LF2/AM/...



3 x Art. LF5/AM/...
















Sono collocate su doppio binario mediante una sfera che permette il loro posizionamento e/o spostamento.

They are placed on a double track through a sphere that allows their positioning and/or movement.

Insieme composto da:
Set made of:

- 1) Art. PRESA7/BL
- 1) Art. AM1800/350
- 1) Art. LF3/AM/PLUG/BM
- 1) Art. LF4/AM/PLUG/BM
- 1) Art. LF1/AM/PLUG/BM
- 1) Art. LF2/AM/PLUG/BM
- 1) Art. LF5/AM/PLUG/BM



Art. LF1/AM/PLUG/... Art. LF2/AM/PLUG/... Art. LF3/AM/PLUG/... Art. LF4/AM/PLUG/... Art. LF5/AM/PLUG/...
**PRESA3/...****PRESA4/...****PRESA5/...****PRESA6/...****PRESA7/...****PRESA9/...****Art. AM1800/350**

ARTICOLO ITEM	DESCRIZIONE DESCRIPTION	ATTACCO SOCKET	POTENZA POWER	PESO GR. WEIGHT GR.	VOL. IN M ³ VOL. IN M ³	FINITURA FINISHING	FASCIA PREZZO PRICE RANGE
LF1/AM/PLUG/...	Sospensione in ceramica per supporto modulare e presa, comprensiva di spina, 3 mt. di cavo pvc trasparente e sfera bloccacavo Ceramic pendant for modular support and socket with plug, 3-meter long pvc transparent cable and cable lock sphere included	E27	15W LED	1200	0,02	BL, BM, NL, NM, MR	B32
						CU, PT, PTMATT, CUMATT	B48
						AU, AUMATT	B59
LF2/AM/PLUG/...	Sospensione in ceramica per supporto modulare e presa, comprensiva di spina, 3 mt. di cavo pvc trasparente e sfera bloccacavo Ceramic pendant for modular support and socket with plug, 3-meter long pvc transparent cable and cable lock sphere included	E27	15W LED	1200	0,02	BL, BM, NL, NM, MR	B32
						CU, PT, PTMATT, CUMATT	B48
						AU, AUMATT	B59
LF3/AM/PLUG/...	Sospensione in ceramica per supporto modulare e presa, comprensiva di spina, 3 mt. di cavo pvc trasparente e sfera bloccacavo Ceramic pendant for modular support and socket with plug, 3-meter long pvc transparent cable and cable lock sphere included	E27	15W LED	1200	0,02	BL, BM, NL, NM, MR	B32
						CU, PT, PTMATT, CUMATT	B48
						AU, AUMATT	B59
LF4/AM/PLUG/...	Sospensione in ceramica per supporto modulare e presa, comprensiva di spina, 3 mt. di cavo pvc trasparente e sfera bloccacavo Ceramic pendant for modular support and socket with plug, 3-meter long pvc transparent cable and cable lock sphere included	E27	15W LED	1200	0,02	BL, BM, NL, NM, MR	B32
						CU, PT, PTMATT, CUMATT	B48
						AU, AUMATT	B59
LF5/AM/PLUG/...	Sospensione in ceramica per supporto modulare e presa, comprensiva di spina, 3 mt. di cavo pvc trasparente e sfera bloccacavo Ceramic pendant for modular support and socket with plug, 3-meter long pvc transparent cable and cable lock sphere included	E27	15W LED	1200	0,02	BL, BM, NL, NM, MR	B32
						CU, PT, PTMATT, CUMATT	B48
						AU, AUMATT	B59
AM1800/350	Supporto modulare lineare in ottone anticato 1800 mm. x 350 mm. / Linear modular support in aged brass 1800 mm. x 350 mm.			4900	0,03		B79

CE IP20


BL = Finitura bianco lucido / Glossy white
BM = Finitura bianco matt / Matte white
NL = Finitura nero lucido / Glossy black
NM = Finitura nero matt / Matte black

MR = Finitura metal rame / Copper metal
PT = Finitura platino / Platinum
AU = Finitura oro / Gold
CU = Finitura rame / Copper

PTMATT = Finitura platino matt / Matte platinum
AUMATT = Finitura oro matt / Matte gold
CUMATT = Finitura rame matt / Matte copper

LINEA
Fate

Esempio di installazione con supporto modulare e presa
Example of installation with modular support and socket



1 x Art. PRESA5/...



1 x Art. AM1800/350



2 x Art. LF2/AM/PLUG/...



3 x Art. LF5/AM/PLUG/...



PRESA3/...	Multipresa a 3 posizioni Multi socket for 3 positions	1900	0,02	BL, NL	B54
PRESA4/...	Multipresa a 4 posizioni Multi socket for 4 positions	1900	0,02	BL, NL	B58
PRESA5/...	Multipresa a 5 posizioni Multi socket for 5 positions	2500	0,02	BL, NL	B66
PRESA6/...	Multipresa a 6 posizioni Multi socket for 6 positions	2500	0,02	BL, NL	B68
PRESA7/...	Multipresa a 7 posizioni Multi socket for 7 positions	3400	0,04	BL, NL	B75
PRESA9/...	Multipresa a 9 posizioni Multi socket for 9 positions	3400	0,04	BL, NL	B80

CE ⊕ MAX 1000W IP20

BL = Finitura bianco lucido / Glossy white
NL = Finitura nero lucido / Glossy black